In re: John Owlett

Application No: 10/081,500 Filed: February 22, 2002

Page 2 of 5

## In the Claims:

The Listing of Claims will replace all prior versions, and listings, of claims in the application.

## **Listing of Claims:**

1. (Currently Amended) A method for authentication of a user by an authenticating entity comprising the steps of:

the authenticating entity sending a challenge to the user;

the user adding a spoiler to the challenge;

the user encrypting the combined spoiler and challenge using a private key of an asymmetric key pair; and

the user sending a response to the authenticating entity in the form of the encrypted combined spoiler and challenge,

wherein the user sends details of the algorithm used for encryption to the authenticating entity.

- 2. (Original) A method as claimed in claim 1, wherein the method includes the authenticating entity decrypting the encrypted combined spoiler and challenge using the public key of the asymmetric key pair and determining if the user has been authenticated.
- 3. (Original) A method as claimed in claim 1, wherein the addition of a spoiler to the challenge is carried out by applying a spoiler function to the challenge.
- 4. (Original) A method as claimed in claim 3, wherein the form of the spoiler function is sent to the authenticating entity.
- 5. (Original) A method as claimed in claim 1, wherein the spoiler is added to the challenge as a prefix or a suffix and the authenticating entity extracts the challenge by counting the number of bytes from the beginning or end of the combined spoiler and challenge.

In re: John Owlett

Application No: 10/081,500 Filed: February 22, 2002

Page 3 of 5

6. (Original) A method as claimed in claim 1, wherein the method includes the user obtaining a digest of the combined spoiler and challenge before the step of encrypting.

7. (Original) A method as claimed in claim 6, wherein the user obtains the digest by applying a hash function to the combined spoiler and challenge.

8. (Original) A method as claimed in claim 6, wherein the user sends details of the spoiler and the method of obtaining the digest to the authenticating entity.

9. (Canceled)

10. (Original) A method as claimed in claim 8, wherein the authenticating entity obtains a digest of the combined spoiler and the original challenge that the authenticating entity sent to the user and compares the digest to a digest obtained by decrypting the response from the user.

11. (Original) A method as claimed in claim 1, wherein the challenge is a bit sequence.

12. (Original) A method as claimed in claim 1, wherein the spoiler is an additional bit sequence.

13-14. (Canceled)